

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,096,560 B2
APPLICATION NO. : 09/916934
DATED : August 29, 2006
INVENTOR(S) : Odd N. Oddsen, Jr.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 6 insert --,-- after the word "description".

Column 2, Line 56 "a" should be replaced by --an--.

Column 3, Line 23 insert --a-- after the word "has".

Column 8, Line 24 "my" should read --by--.

Column 8, Line 29 insert --or-- after the word "steel".

Claim 1, Column 8, Line 64 "surfaceof" should read --surface of--.

Claim 10, Column 9, Line 53 "attachd" should read --attached--.

Claim 10, Column 9, Line 61 insert --comprising-- after the word "components".

Claim 16, Column 10, Lines 23 through 26 "16. The method of claim 9, wherein said shaft holder is adapted to receive an extension arm for supporting an electronic device thereto." should read --16. A method of assembling a bracket from a kit including a plurality of components, said bracket adapted for mounting a device to a plurality of supporting surfaces, said method comprising: providing a kit containing a plurality of components adapted to be assembled into a plurality of brackets each of a different configuration, said components including a shaft holder having an opening formed therein adapted to removably support said device, a threaded member, a first member having a first flange and a second flange generally perpendicularly attached to said first flange, and a second member having a third flange and a fourth flange generally perpendicularly attached to said third flange, at least one of said brackets adapted to be assembled from less than all of said components; selecting a plurality of components for assembly into a single bracket configuration, at least one of said components comprising said shaft holder, wherein said single bracket configuration comprises a mount selected from the group consisting of a clamp mount, a wall mount and a flat mount for attachment to one of a plurality of supporting surfaces; and assembling the selected components into said single bracket configuration by at least attaching said shaft holder to said first member using said threaded member.--

Claim 18, Column 10, Lines 34 through 36 "providing a plurality of components adapted to be assembled into a plurality of brackets each of a different configuration, said method comprising:" should be deleted.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,096,560 B2
APPLICATION NO. : 09/916934
DATED : August 29, 2006
INVENTOR(S) : Odd N. Oddsen, Jr.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 18, Column 10, Line 39 "component" should read --components--.

Claim 18, Column 10, Line 51 insert a --,-- after the word "surface".

Claim 19, Column 11, Line 5, "comprises" should read --comprise--.

Claim 20, Column 11, Line 20 "attching sais" should read --attaching said--.

Claim 23, Column 11, Line 43 insert --a-- after the word "of".
"Surfaces" should read --surface--.

Claim 23, Column 11, Line 40 insert --a-- after the word "to".

Claim 24, Column 11, Line 51 "componentsd" should read --components--.

Claim 24, Column 11, Line 53 "surface" should read --surfaces--.

Claim 24, Column 11, Line 56 "ton" should read --to--.

Claim 24, Column 12, Line 6 insert --the-- before the word "supporting".

Claim 25, Column 12, Line 12 insert --a-- before the word "plurality".

Claim 25, Column 12, Line 16 "bracket" should read --brackets--.

Claim 25, Column 12, Line 23 "component" should read --components--.

Claim 26, Column 12, Line 55 insert --the-- before the word "supporting".

Claim 26, Column 12, Line 56 insert --a-- before the word "supporting".

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,096,560 B2
APPLICATION NO. : 09/916934
DATED : August 29, 2006
INVENTOR(S) : Odd N. Oddsen, Jr.


Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 27, Column 14, Line 9 "th" should read --the--.

Signed and Sealed this

Twenty-fifth Day of September, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office